

NCCA STALLION CONTAINMENT REQUIREMENTS

IN DAYLIGHT HOURS YOU MAY EITHER:

→ A: Stallions to be double tied. Stallions to have an exclusion perimeter erected around the horse and area they are tied to exclude any possible interaction between the stallion and another horse or human.

OR

→ B: Stallions to be enclosed by panels. Stallions can be free to roam inside the panel area when an exclusion perimeter is erected around the panelled area to exclude any possible interactions between the stallion and another horse or human. Only 1 horse allowed per enclosure. Panels must be a minimum of 1500mm in height. Panels must be constructed using an equivalent of 4 bars of 25mm box or pipe equivalent as a minimum. Panels must be anchored securely to a solid object i.e. truck, post or tree.

AT NIGHT:

The same rules apply to daylight hours with the addition for a stallion that is in panels must have at least one additional form of restraint e.g.: tied up, hobbles, sideline.

ACA AND ABCRA
ACCEPTS PARTS A OR B

GCA AND SCA
ACCEPT PART B ONLY



PART A
OPTIONS 1
DAY OR
NIGHT

DOUBLE TIED BEHIND ELECTRIFIED TAPE



NIGHT
OPTION 2

TIED IN APPROVED PANELS



DAYLIGHT
OPTION 2

FREE IN APPROVED PANELS



NIGHT
OPTION 3

HOBBLER IN APPROVED PANELS



NIGHT
OPTION 4

SIDELINES IN APPROVED PANELS